


FIRST FLOOR PLAN





# LEGEND

- EXISTING WALLS & PARTITIONS
- NEW WALLS & PARTITIONS
- EXISTING FURNITURE
- NEW FURNITURE


## SECOND FLOOR PLAN

0 5' 10' 20' 30'  
SCALE

AARON COHEN ASSOCIATES, TEATOWN RD., CROTON-ON-HUDSON, NY, 10520 914-271-8170  
NEWARK PUBLIC LIBRARY, N.J.

JAN 22 1990

DRAWN BY:  
N. PALEVSKI  
VRS 4



OCIATES, TEATOWN RD., CROTON-ON-HUDSON, NY, 10520 914-271-8170  
LIBRARY, N.J.




**LEGEND:**

- PROPOSED PARTITION (SEE PART. DETAILS)
- EXISTING PARTITION TO REMAIN
- - - EXISTING PARTITION TO BE REMOVED

**NOTES:**

1. SEE ELECTRICAL & MECHANICAL DIVS. FOR ADDITIONAL INFORMATION.
2. ALL NEW & EXISTING WALLS & PARTITIONS TO BE PAINTED.
3. CONTRACTOR TO VERIFY EXISTING CONDITIONS.




SECOND FLOOR PLAN  
1/4" = 1'-0"

**A2**

SCALE	PROJECT NO.	ISSUE DATE
DRAWN BY	CHECKED BY	20 JUN 1990


INTERIOR ALTERATIONS OF  
SERVICE BUILDING OF  
NEWARK PUBLIC LIBRARY

REV	BY	DATE	DESCRIPTION



AARON COHEN ASSOCIATES  
TEATOWN ROAD, CROTON-ON-HUDSON, NY 10520 (914) 884-4370





SECOND FLOOR PLAN

**NOTES:**

1. ELECTRICAL CONTRACTOR TO TEST AND REUSE EXISTING WIRING IF IN SUITABLE CONDITION, PROVIDE NEW WIRING IF NOT SUITABLE.
2. \*-INDICATES RECEPTACLE NOT CONFIRMED IN THE FIELD. IF RECEPT. IS NOT EXISTING, E.C. TO PROVIDE NEW AND CONNECT TO NEAREST AVAILABLE CIRCUIT WITH 2 #12 WIRES OR FLAT CABLE.
3. E.C. TO PROVIDE ONE 20A, 1P CB. PER CIRCUIT INDICATED BY HOMERUN U.O.N. (PROVIDE 5-20A, 1P + 2-30A, 1P CB'S. IN PANEL "A" AND 6-20A, 1P CB'S. IN PNL "B"). NEW CB'S. SHALL BE COMPATIBLE WITH EXISTING.

AARON COHEN ASSOCIATES  
RFD 1 BOX 636, TEATOWN ROAD  
CROTON-ON-HUDSON, NEW YORK 10520  
TELEPHONE: (914) 271-8170


**Lilker Associates**  
Lilker Associates  
Consulting Engineers, P.C.  
15 West 36th Street  
New York, NY 10018

DRAWING NO. <b>E-2</b>	
SCALE	DATE 8.14.90
DRAWN BY J.M.	CHECKED BY S.B.
PROJECT NO. 1-1	DESCRIPTION INTERIOR ALTERATIONS OF 2nd, 3rd, 4th FLOORS NEWARK PUBLIC LIBRARY MAIN BUILDING SECOND FLOOR POWER PLAN



# NOTES:

1. \*-INDICATES RECEPTACLE TO BE VERIFIED IN THE FIELD. IF RECEPTACLE IS NOT EXISTING, E.C. TO PROVIDE NEW AND CONNECT TO NEAREST AVAILABLE CIRCUIT WITH 2#12 WIRES OR FLAT CABLE.
2. EXISTING DUPLEX OUTLET TO BE REMOVED, PROVIDE NEW DOUBLE DUPLEX OUTLET.



THIRD FLOOR PLAN

DWG. NO.

E-3

SCALE	DATE
1" = 10'	8-14-90
1" = 10'	8-14-90
1" = 10'	8-14-90

INTERIOR ALTERATIONS OF  
2nd, 3rd, 4th FLOORS

NEWARK PUBLIC LIBRARY  
MAIN BUILDING

THIRD FLOOR POWER PLAN

REVISION	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

REVISION	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

AARON COHEN ASSOCIATES

RFD 1 BOX 636 TEATOWN ROAD  
CROTON-ON-HUDSON, NEW YORK 10520  
TELEPHONE: (914) 271-8170

Lilker Associates


Lilker Associates  
Consulting Engineers, P.C.  
15 West 36th Street  
New York, NY 10018





**NOTES:**

1. \*E - INDICATES EXISTING DUPLEX OUTLET TO BE REMOVED, PROVIDE NEW DOUBLE DUPLEX OUTLET.  
\*N - INDICATES NEW DOUBLE DUPLEX OUTLET TO BE WIRED AS SHOWN OR TO CLOSER AVAILABLE CIRCUIT EXISTING AT THIS WALL (V.I.F.).
2. ALL GENERAL RECEPTACLES SHALL WIRED TO 20A. 1P. CB. E.C. TO PROVIDE NEW CIRCUIT BREAKER AS REQUIRED. NEW CB'S. TO BE COMPATIBLE WITH EXISTING.




FOURTH FLOOR PLAN

**AARON COHEN ASSOCIATES**  
 RFD. 1 BOX 636, TEATOWN ROAD  
 CROTON-ON-HUDSON, NEW YORK 10520  
 TELEPHONE: (914) 271-8170

**Lilker Associates**

Lilker Associates  
 Consulting Engineers, P.C.  
 15 West 36th Street  
 New York, NY 10018



INTERIOR ALTERATIONS OF  
 2nd, 3rd, 4th FLOORS

NEWARK PUBLIC LIBRARY  
 MAIN BUILDING

FOURTH FLOOR POWER PLAN

DWG. NO.

E-4

SCALE		DATE	6.14.90
DRAWN BY	LM	DESIGNED BY	SB
CHECKED BY		PROJECT NO.	1-1

REV. BY DATE DESCRIPTION